

## 【講座 精神疾患の臨床】9 神経発達症群

p289-301 「原因, 危険因子, 病態に関する研究」(土屋賢治)

### 参考文献

---

- 1) Alemany S, et al. Prenatal and postnatal exposure to acetaminophen in relation to autism spectrum and attention-deficit and hyperactivity symptoms in childhood: Meta-analysis in six European population-based cohorts. *Eur J Epidemiol* 2021; 36 (10): 993-1004.
- 2) Alvarez BD, et al. Impact of specific serotonin receptor modulation on restricted repetitive behaviors. *Front Behav Neurosci* 2022; 16: 1078983.
- 3) Andersson M, et al. Serotonin transporter availability in adults with autism--a positron emission tomography study. *Mol Psychiatry* 2021; 26 (5): 1647-1658.
- 4) Ashwood P, et al. Associations of impaired behaviors with elevated plasma chemokines in autism spectrum disorders. *J Neuroimmunol* 2011; 232 (1-2): 196-199.
- 5) Ashwood P, et al. Elevated plasma cytokines in autism spectrum disorders provide evidence of immune dysfunction and are associated with impaired behavioral outcome. *Brain Behav Immun* 2011; 25 (1): 40-45.
- 6) Bakermans-Kranenburg MJ, van IJzendoorn MH. Sniffing around oxytocin: Review and meta-analyses of trials in healthy and clinical groups with implications for pharmacotherapy. *Transl Psychiatry* 2013; 3 (5): e258.
- 7) Banerjee A, et al. Impairment of cortical GABAergic synaptic transmission in an environmental rat model of autism. *Int J Neuropsychopharmacol* 2013; 16 (6): 1309-1318.
- 8) Bartz JA, et al. Social effects of oxytocin in humans: Context and person matter. *Trends Cogn Sci* 2011; 15 (7): 301-309.
- 9) Bauman ML, Kemper TL. Neuroanatomic observations of the brain in autism: A review and future directions. *Int J Dev Neurosci* 2005; 23 (2-3): 183-187.
- 10) Berendzen KM, et al. Oxytocin receptor is not required for social attachment in prairie voles. *Neuron* 2023; 111 (6): 787-796.
- 11) Bernaerts S, et al. Behavioral effects of multiple-dose oxytocin treatment in autism: A randomized, placebo-controlled trial with long-term follow-up. *Mol Autism* 2020; 11 (1): 6.
- 12) Bonnin A, Levitt P. Fetal, maternal, and placental sources of serotonin and new implications for developmental programming of the brain. *Neuroscience* 2011; 197: 1-7.
- 13) Bourgeron T. From the genetic architecture to synaptic plasticity in autism spectrum disorder. *Nat Rev Neurosci* 2015; 16 (9): 551-563.
- 14) Brimberg L, et al. Brain-reactive IgG correlates with autoimmunity in mothers of a child with an autism spectrum disorder. *Mol Psychiatry* 2013; 18 (11): 1171-1177.
- 15) Brondino N, et al. Pharmacological Modulation of GABA Function in Autism Spectrum Disorders: A Systematic Review of Human Studies. *J Autism Dev Disord* 2016; 46 (3): 825-839.
- 16) Broyd SJ, et al. Default-mode brain dysfunction in mental disorders: A systematic review. *Neurosci Biobehav Rev* 2009; 33 (3): 279-296.
- 17) Buckner RL, et al. The brain's default network: Anatomy, function, and relevance to disease. *Ann NY Acad Sci* 2008; 1124: 1-38.
- 18) Buxbaum JD, et al. Association between a GABRB3 polymorphism and autism. *Mol Psychiatry* 2002; 7 (3): 311-316.
- 19) Carter CS. Sex, love and oxytocin: Two metaphors and a molecule. *Neurosci Biobehav Rev* 2022; 143: 104948.
- 20) Cases O, et al. Aggressive behavior and altered amounts of brain serotonin and norepinephrine in mice lacking MAOA. *Science* 1995; 268 (5218): 1763-1766.
- 21) Chandana SR, et al. Significance of abnormalities in developmental trajectory and asymmetry of cortical serotonin synthesis in autism. *Int J Dev Neurosci* 2005; 23 (2-3): 171-182.
- 22) Chao HT, et al. Dysfunction in GABA signalling mediates autism-like stereotypies and Rett syndrome phenotypes. *Nature* 2010; 468 (7321): 263-269.
- 23) Cheslack-Postava K, et al. A biomarker-based study of prenatal smoking exposure and autism in a Finnish

- national birth cohort. *Autism Res* 2021; 14 (11): 2444–2453.
- 24) Conway F, Brown AS. Maternal Immune Activation and Related Factors in the Risk of Offspring Psychiatric Disorders. *Front Psychiatry* 2019; 10: 430.
  - 25) Corbetta M, Shulman GL. Control of goal-directed and stimulus-driven attention in the brain. *Nat Rev Neurosci* 2002; 3 (3): 201–215.
  - 26) Curatolo P, et al. Autism spectrum disorders in tuberous sclerosis: Pathogenetic pathways and implications for treatment. *J Child Neurol* 2010; 25 (7): 873–880.
  - 27) Curran EA, et al. Research review: Birth by caesarean section and development of autism spectrum disorder and attention-deficit/hyperactivity disorder: A systematic review and meta-analysis. *J Child Psychol Psychiatry* 2015; 56 (5): 500–508.
  - 28) Davey-Smith G. Epidemiology, epigenetics and the 'Gloomy Prospect': Embracing randomness in population health research and practice. *Int J Epidemiol* 2011; 40 (3): 537–562.
  - 29) DeMayo MM, et al. Age-related parietal GABA alterations in children with autism spectrum disorder. *Autism Res* 2021; 14 (5): 859–872.
  - 30) DeRamus TP, Kana RK. Anatomical likelihood estimation meta-analysis of grey and white matter anomalies in autism spectrum disorders. *Neuroimage Clin* 2015; 7: 525–536.
  - 31) Donovan AP, Basson MA. The neuroanatomy of autism - a developmental perspective. *J Anat* 2017; 230 (1): 4–15.
  - 32) Fatemi SH, et al. Expression of GABA(B) receptors is altered in brains of subjects with autism. *Cerebellum* 2009; 8 (1): 64–69.
  - 33) Fatemi SH, et al. Metabotropic glutamate receptor 5 tracer [(18)F]-FPPEB displays increased binding potential in postcentral gyrus and cerebellum of male individuals with autism: A pilot PET study. *Cerebellum Ataxias* 2018; 5: 3.
  - 34) Gaffney GR, et al. Morphological evidence for brainstem involvement in infantile autism. *Biol Psychiatry* 1988; 24 (5): 578–586.
  - 35) Gentile S. Untreated depression during pregnancy: Short- and long-term effects in offspring. A systematic review. *Neuroscience* 2017; 342: 154–166.
  - 36) Graham AM, et al. Maternal Systemic Interleukin-6 During Pregnancy Is Associated With Newborn Amygdala Phenotypes and Subsequent Behavior at 2 Years of Age. *Biol Psychiatry* 2018; 83 (2): 109–119.
  - 37) Greenland S, et al. The value of risk-factor ("black-box") epidemiology. *Epidemiology* 2004; 15 (5): 529–535.
  - 38) Grove J, et al. Identification of common genetic risk variants for autism spectrum disorder. *Nat Genet* 2019; 51 (3): 431–444.
  - 39) Harada M, et al. Non-invasive evaluation of the GABAergic/glutamatergic system in autistic patients observed by MEGA-editing proton MR spectroscopy using a clinical 3 tesla instrument. *J Autism Dev Disord* 2011; 41 (4): 447–454.
  - 40) Herati AS, et al. Age-related alterations in the genetics and genomics of the male germ line. *Fertil Steril* 2017; 107 (2): 319–323.
  - 41) Hollander E, et al. Striatal volume on magnetic resonance imaging and repetitive behaviors in autism. *Biol Psychiatry* 2005; 58 (3): 226–232.  
<https://www.fda.gov/drugs/drug-safety-and-availability/fda-drug-safety-communication-children-born-mothers-who-took-valproate-products-while-pregnant-may#sa>.
  - 42) Jolliffe T, Baron-Cohen S. Are people with autism and Asperger syndrome faster than normal on the Embedded Figures Test? *J Child Psychol Psychiatry* 1997; 38 (5): 527–534.
  - 43) Jung Y, et al. Maternal smoking and autism spectrum disorder: Meta-analysis with population smoking metrics as moderators. *Sci Rep* 2017; 7 (1): 4315.
  - 44) Kaplan YC, et al. Maternal SSRI discontinuation, use, psychiatric disorder and the risk of autism in children: A meta-analysis of cohort studies. *Br J Clin Pharmacol* 2017; 83 (12): 2798–2806.
  - 45) Khan S, et al. Local and long-range functional connectivity is reduced in concert in autism spectrum disorders. *Proc Natl Acad Sci U S A* 2013; 110 (8): 3107–3112.
  - 46) Kodesh A, et al. Maternal health around pregnancy and autism risk: A diagnosis-wide, population-based study. *Psychol Med* 2021: 1–9.
  - 47) Kohlhoff J, et al. Oxytocin receptor gene (OXTR) polymorphisms and social, emotional and behavioral

- functioning in children and adolescents: A systematic narrative review. *Neurosci Biobehav Rev* 2022; 135: 104573.
- 48) Lampi KM, et al. Risk of autism spectrum disorders in low birth weight and small for gestational age infants. *J Pediatr* 2012; 161 (5): 830–836.
  - 49) Liu X, et al. Genome-wide Association Study of Autism Spectrum Disorder in the East Asian Populations. *Autism Res* 2016; 9 (3): 340–349.
  - 50) Modabbernia A, et al. Environmental risk factors for autism: An evidence-based review of systematic reviews and meta-analyses. *Mol Autism* 2017; 8 (1): 13.
  - 51) Moldrich RX, et al. Inhibition of histone deacetylase in utero causes sociability deficits in postnatal mice. *Behav Brain Res* 2013; 257: 253–264.
  - 52) Mottron L, et al. Locally oriented perception with intact global processing among adolescents with high-functioning autism: Evidence from multiple paradigms. *J Child Psychol Psychiatry* 2003; 44 (6): 904–913.
  - 53) Munson J, et al. Amygdalar volume and behavioral development in autism. *Arch Gen Psychiatry* 2006; 63 (6): 686–693.
  - 54) Nakamura K, et al. Brain serotonin and dopamine transporter bindings in adults with high-functioning autism. *Arch Gen Psychiatry* 2010; 67 (1): 59–68.
  - 55) Neumann ID, Landgraf R. Balance of brain oxytocin and vasopressin: Implications for anxiety, depression, and social behaviors. *Trends Neurosci* 2012; 35 (11): 649–659.
  - 56) Nishizato M, et al. Developmental changes in social attention and oxytocin levels in infants and children. *Sci Rep* 2017; 7 (1): 2540.
  - 57) Nordenbæk C, et al. A Danish population-based twin study on autism spectrum disorders. *Eur Child Adolesc Psychiatry* 2014; 23 (1): 35–43.
  - 58) Pantham P, et al. Inflammation in maternal obesity and gestational diabetes mellitus. *Placenta* 2015; 36 (7): 709–715.
  - 59) Paulus EV, Mintz EM. Developmental disruption of the serotonin system alters circadian rhythms. *Physiol Behav* 2012; 105 (2): 257–263.
  - 60) Qin L, et al. Social deficits in Shank3-deficient mouse models of autism are rescued by histone deacetylase (HDAC) inhibition. *Nat Neurosci* 2018; 21 (4): 564–575.
  - 61) Rashidi M, et al. Peripartum effects of synthetic oxytocin: The good, the bad, and the unknown. *Neurosci Biobehav Rev* 2022; 141: 104859.
  - 62) Rigney N, et al. Oxytocin, Vasopressin, and Social Behavior: From Neural Circuits to Clinical Opportunities. *Endocrinology* 2022; 163 (9): bqac111.
  - 63) Rojas DC, et al. Decreased left perisylvian GABA concentration in children with autism and unaffected siblings. *Neuroimage* 2014; 86: 28–34.
  - 64) Rothman KJ, Greenland S. *Modern Epidemiology*, 2nd ed. Philadelphia: Lippincott Williams & Wilkins; 1998.
  - 65) Sauer MV. Reproduction at an advanced maternal age and maternal health. *Fertil Steril* 2015; 103 (5): 1136–1143.
  - 66) Seeley WW, et al. Dissociable intrinsic connectivity networks for salience processing and executive control. *J Neurosci* 2007; 27 (9): 2349–2356.
  - 67) Song AY, et al. Associations between accelerated parental biologic age, autism spectrum disorder, social traits, and developmental and cognitive outcomes in their children. *Autism Res* 2022; 15 (12): 2359–2370.
  - 68) Song Z, Albers HE. Cross-talk among oxytocin and arginine-vasopressin receptors: Relevance for basic and clinical studies of the brain and periphery. *Front Neuroendocrinol* 2018; 51: 14–24.
  - 69) Sullivan PF, Geschwind DH. Defining the Genetic, Genomic, Cellular, and Diagnostic Architectures of Psychiatric Disorders. *Cell* 2019; 177 (1): 162–183.
  - 70) Suzuki K, et al. Microglial activation in young adults with autism spectrum disorder. *JAMA Psychiatry* 2013; 70 (1): 49–58.
  - 71) Takahashi N, et al. Association of genetic risks with autism spectrum disorder and early neurodevelopmental delays among children without intellectual disability. *JAMA Netw Open* 2020; 3 (2): e1921644.
  - 72) Taylor LE, et al. Vaccines are not associated with autism: An evidence-based meta-analysis of case-control and cohort studies. *Vaccine* 2014; 32 (29): 3623–3629.

- 73) Tizard B, Rees J. The effect of early institutional rearing on the behaviour problems and affectional relationships of four-year-old children. *J Child Psychol Psychiatry* 1975; 16 (1): 61-73.
- 74) Tseng CJ, et al. Epigenetics of Autism Spectrum Disorder: Histone Deacetylases. *Biol Psychiatry* 2022; 91 (11): 922-933.
- 75) Turkheimer E. Three Laws of Behavior Genetics and What They Mean. *Current Directions in Psychological Science* 2000; 9 (5): 160-164.
- 76) Uddin LQ. Salience processing and insular cortical function and dysfunction. *Nat Rev Neurosci* 2015; 16 (1): 55-61.
- 77) US Food and Drug Administration. FDA Drug Safety Communication: Children born to mothers who took Valproate products while pregnant may have impaired cognitive development, 2011. <https://www.fda.gov/drugs/drug-safety-and-availability/fda-drug-safety-communication-children-born-mothers-who-took-valproate-products-while-pregnant-may#sa>
- 78) Walsh KS, et al. Symptomatology of autism spectrum disorder in a population with neurofibromatosis type 1. *Dev Med Child Neurol* 2013; 55 (2): 131-138.
- 79) Waye MMY, Cheng HY. Genetics and epigenetics of autism: A Review. *Psychiatry Clin Neurosci* 2018; 72 (4): 228-244.
- 80) Williams JA, et al. Inflammation and Brain Structure in Schizophrenia and Other Neuropsychiatric Disorders: A Mendelian Randomization Study. *JAMA Psychiatry* 2022; 79 (5): 498-507.
- 81) Williams K, et al. Selective serotonin reuptake inhibitors (SSRIs) for autism spectrum disorders (ASD). *Cochrane Database Syst Rev* 2013 (8): CD004677.
- 82) Wolff JJ, et al. Differences in white matter fiber tract development present from 6 to 24 months in infants with autism. *Am J Psychiatry* 2012; 169 (6): 589-600.
- 83) Zurcher NR, et al. [(11)C]PBR28 MR-PET imaging reveals lower regional brain expression of translocator protein (TSPO) in young adult males with autism spectrum disorder. *Mol Psychiatry* 2021; 26 (5): 1659-1669.